

Patellofemoral Cartilage Restoration

Physical Therapy Protocol

Phase I – Protection / Mobility (Post-Op Weeks 1–3)

Goals:

- Protect the surgical site
- Initiate gentle motion within protected range
- Activate quadriceps and VMO
- Begin safe mobility with assistive devices

Restrictions:

- PROM and AROM 0–20° (Week 1)
- PROM and AROM 0–60° (Weeks 2–3)
- Brace locked in extension unless performing exercises

Therapeutic Exercises:

- Isometric quadriceps sets
- Straight leg raises (SLR)
- Weight shifts in standing
- Patellar mobilizations
- Ankle pumps

Phase II – Strength (Post-Op Weeks 4–6)

Goals:

Improve AROM

Phone: 513-232-2663 Fax: 513-985-2580

"Dr. Trevor" Stefanski, M.D.

Minimally Invasive Joint Specialist DrTrevor.com/PT for a printable copy



- Restore basic gait pattern
- Initiate controlled strengthening

Restrictions:

- Continue brace as needed, unlock as quad control improves
- Avoid open-chain resistance to the knee joint

Therapeutic Exercises:

- AROM to 0–125°
- · Gait training with progressive weight bearing
- Stationary cycling for ROM (no resistance)
- Mini squats (pain-free)
- Single-leg balance drills
- Closed-chain quad/glute strengthening

Phase III - Dynamic Strength (Post-Op Weeks 7-12)

Goals:

- Achieve full AROM
- Normalize gait pattern
- Improve dynamic lower limb control

Milestones:

- Discontinue crutches and TROM brace
- Independent ambulation without gait deviations

Therapeutic Exercises:

- Step-ups and step-downs
- Lateral and diagonal movements
- Progressive resistance exercises for quads/glutes

Phone: 513-232-2663 Fax: 513-985-2580

"Dr. Trevor" Stefanski, M.D.

Minimally Invasive Joint Specialist DrTrevor.com/PT for a printable copy

Innovating BIG RESULTS
Through Small Incisions

Core strengthening

Phase IV – Proprioceptive Phase (Post-Op Weeks 13–24)

Goals:

- Enhance neuromuscular control
- Improve balance and proprioception
- Increase functional strength

Therapeutic Activities:

- Single-leg balance on unstable surfaces
- Closed kinetic chain training
- Ergometers, elliptical, and stairmaster (as tolerated)
- Agility ladders and cone drills (if appropriate)

Phase V – Functional Return (Post-Op Month 6+)

Goals:

- Safely return to higher-level activities
- Prepare for sports or recreational return

Functional Progression:

- Begin running program (if cleared)
- Integrate plyometric and impact control drills
- Sport-specific exercises and interval training

Phone: 513-232-2663 Fax: 513-985-2580